

Scholars Bulletin

(A Multidisciplinary Bi-weekly Journal)
An Official Publication of "Scholars Middle East Publishers",
Dubai, United Arab Emirates
Website: <http://scholarsbulletin.com/>

ISSN 2412-9771 (Print)
ISSN 2412-897X (Online)

On The Negative Pell Equation $y^2=60x^2-15$

K. Meena^{1*}, M.A Gopalan², E. Bhuvaneshwari³

¹Former VC, Bharathidasan University, Trichy-620024, Tamilnadu, India

²Professor, Department of Mathematics, SIGC, Trichy-620002, Tamilnadu, India

³M.Phil Scholar, Department of Mathematics, SIGC, Trichy-620002, Tamilnadu, India

*Corresponding Author:

K. Meena, E. Bhuvaneshwari

Email: nts.maths.ig@gmail.com, bhuvana.etrichy93@gmail.com

Abstract: The binary quadratic equation represented by the negative pellian $y^2 = 60x^2 - 15$ is analyzed for its distinct integer solutions. A few interesting relations among the solutions are also given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas, parabolas and special Pythagorean triangle.

Keywords: Binary quadratic, hyperbola, parabola, integral solutions, pell equation.
2010 mathematics subject classification: 11D09.

INTRODUCTION

Diophantine equation of the form $y^2 = Dx^2 + 1$, where D is a given positive square-free integer is known as pell equation and is one of the oldest Diophantine equation that has interesting mathematicians all over the world, since antiquity, J.L.lagrange proved that the positive Pell equation $y^2 = Dx^2 + 1$ has infinitely many distinct integer solutions where as the negative pell equation $y^2 = Dx^2 - 1$ does not always have a solution. In [1], an elementary proof of a ceriterium for the solvability of the pell equation $x^2 - Dy^2 = -1$ where D is any positive non-square integer has been presented. For examples the equations $y^2 = 3x^2 - 1$, $y^2 = 7x^2 - 4$ have no integer solutions, whereas $y^2 = 65x^2 - 1$, $y^2 = 202x^2 - 1$ have integer solutions. In this context, one may refer [2- 9].More specifically, one may refer " The On-line Encyclopedia of integer sequences" (A031396, A130226, A031398) for values of D for which the negative pell equation $y^2 = Dx^2 - 1$ is solvable or not.

In this communication, the negative Pell equation given by $y^2 = 60x^2 - 15$ is considered and infinitely many integer solutions are obtained. A few interesting relations among the solutions are presented.

METHOD OF ANALYSIS

The negative Pell equation representing hyperbola under consideration is

$$y^2 = 60x^2 - 15 \quad (1)$$

whose smallest positive integer solution is

$$x_0 = 2, y_0 = 15$$

To obtain the other solutions of (1), consider the Pell equation

$$y^2 = 60x^2 + 1$$

whose general solution is given by

$$\tilde{x}_s = \frac{1}{2} f_s, \tilde{y}_s = \frac{1}{2\sqrt{60}} g_s$$

where

$$f_s = (31 + 4\sqrt{60})^{s+1} + (31 - 4\sqrt{60})^{s+1}$$

$$g_s = (31 + 4\sqrt{60})^{s+1} - (31 - 4\sqrt{60})^{s+1},$$

Applying Brahmagupta lemma between (x_0, y_0) and $(\tilde{x}_s, \tilde{y}_s)$, the other integer solutions of (1) are given by

$$x_{s+1} = \frac{15}{2} f_s + \frac{1}{30} \sqrt{15} g_s$$

$$y_{s+1} = 60 f_s + \frac{1}{4} \sqrt{15} g_s$$

The recurrence relations satisfied by x and y are given by

$$x_{s+3} - 62x_{s+2} + x_{s+1} = 0, x_0 = 2, x_1 = 122$$

$$y_{s+3} - 62y_{s+2} + y_{s+1} = 0, y_0 = 15, y_1 = 945$$

Some numerical examples of x and y satisfying (1) are given in the following table below:

s	x_s	y_s
0	2	15
1	122	945
2	7562	58575
3	468722	3630705
4	29053202	225045135
5	1800829802	13949167675

From the above table, we observe some interesting relations among the solutions which are presented below:

1. x_s is always even., y_s is always odd.
2. $y_s \equiv 0 \pmod{15}$
3. Each of the following expressions is a nasty number
 - $6(16x_{2s+2} - 2y_{2s+2} + 2)$
 - $\frac{3}{62}(3905x_{2s+2} - x_{2s+3} + 248)$
 - $2(48x_{2s+2} - 6y_{2s+2} + 6)$
 - $11715x_{2s+3} - 189x_{2s+4} + 12$
 - $\frac{1}{155}(y_{2s+4} - 3781y_{2s+2} + 1860)$
 - $\frac{2}{5}(y_{2s+3} - 61y_{2s+2} + 30)$
 - $\frac{1}{10}(244y_{2s+4} - 15124y_{2s+3} + 120)$
 - $\frac{2}{155}(14640x_{2s+2} - 30y_{2s+3} + 930)$
 - $2(2928x_{2s+3} - 378y_{2s+3} + 6)$
 - $\frac{2}{9605}(240x_{2s+4} - 117150y_{2s+2} + 57630)$
4. $16x_{3s+3} - 2y_{3s+3} + 3(16x_{s+1} - 2y_{s+1})$ is a cubical integer.

5. $x_{s+3} = 62x_{s+2} - x_{s+1}$
6. $4y_{s+1} = x_{s+2} - 31x_{s+1}$
7. $4y_{s+1} = 31x_{s+2} - x_{s+1}$
8. $4y_{s+3} = 1921x_{s+2} - 31x_{s+1}$
9. $1921x_{s+2} = 31x_{s+3} - 4y_{s+1}$
10. $960x_{s+1} = 4y_{s+2} - 124y_{s+1}$
11. $960x_{s+2} = 4y_{s+3} - 124y_{s+2}$
12. $x_{s+2} = 31x_{s+3} - 4y_{s+3}$
13. $1920x_{s+2} = 4y_{s+3} - 4y_{s+1}$
14. $31x_{s+2} = x_{s+3} - 4y_{s+2}$
15. $1921x_{s+1} = x_{s+3} - 248y_{s+1}$
16. $960x_{s+2} = 124y_{s+2} - 4y_{s+1}$
17. $960x_{s+1} = 7684y_{s+2} - 124y_{s+3}$
18. $1921x_{s+2}^2 = 31x_{s+2} \cdot x_{s+3} - 4y_{s+1} \cdot x_{s+2}$
19. $960x_{s+2}^2 = 124y_{s+2} \cdot x_{s+2} - 4y_{s+1} \cdot x_{s+2}$
20. $31x_{s+2}^2 = x_{s+2} \cdot x_{s+3} - 4y_{s+1} \cdot x_{s+1}$
21. $x_{s+2}^2 - x_{s+1}^2 = 4y_{s+1} \cdot x_{s+2} - 4y_{s+2} \cdot x_{s+1}$

REMARKABLE OBSERVATIONS

Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbola which are presented in the table below:

S.No	Hyperbola	x, y
1.	$225x^2 - 60y^2 = 900$	$(16x_{s+1} - 2y_{s+1}),$ $\frac{\sqrt{60}}{15}(4y_{s+1} - 30x_{s+1})$
2.	$14415x^2 - 15376y^2 = 886580160$	$\frac{1}{124}(3905x_{s+1} - x_{s+3}),$ $\frac{\sqrt{60}}{930}(x_{s+3} - 3781x_{s+1})$
3.	$x^2 - 60y^2 = 900$	$\frac{1}{15}(240x_{s+1} - 30y_{s+1}),$ $\frac{\sqrt{60}}{15}(4y_{s+1} - 30x_{s+1})$
4.	$x^2 - 60y^2 = 14400$	$\frac{1}{60}(117150x_{s+2} - 1890x_{s+3}),$ $\frac{\sqrt{60}}{60}(244x_{s+3} - 15124x_{s+2})$

5.	$922560x^2 - 864900y^2 = 3191688576000$	$\frac{1}{930}(y_{s+3} - 3781y_{s+1}),$ $\frac{1}{124\sqrt{60}}(3905y_{s+1} - y_{s+3})$
6.	$240x^2 - 225y^2 = 216000$	$\frac{1}{15}(y_{s+2} - 61y_{s+1}),$ $\frac{1}{2\sqrt{60}}(63y_{s+1} - y_{s+2})$
7.	$60x^2 - y^2 = 864000$	$\frac{1}{60}(244y_{s+3} - 15124y_{s+2}),$ $\frac{1}{60\sqrt{60}}(117150y_{s+2} - 1890y_{s+3})$
8.	$x^2 - 60y^2 = 864900$	$\frac{1}{465}(14640x_{s+1} - 30y_{s+2}),$ $\frac{\sqrt{60}}{465}(1890x_{s+1} - 4y_{s+2})$
9.	$x^2 - 60y^2 = 864900$	$\frac{1}{465}(240x_{s+2} - 1890y_{s+1}),$ $\frac{\sqrt{60}}{465}(30x_{s+2} - 244y_{s+1})$
10.	$x^2 - 60y^2 = 900$	$\frac{1}{15}(14640x_{s+2} - 1890y_{s+2}),$ $\frac{\sqrt{60}}{15}(1890x_{s+2} - 244y_{s+2})$
11.	$x^2 - 60y^2 = 864900$	$\frac{1}{465}(907440x_{s+2} - 1890x_{s+3}),$ $\frac{\sqrt{60}}{465}(117150x_{s+2} - 244y_{s+3})$
12.	$x^2 - 60y^2 = 332126900$	$\frac{1}{28815}(240x_{s+3} - 117150y_{s+1}),$ $\frac{\sqrt{60}}{28815}(30x_{s+3} - 15124y_{s+1})$
13.	$x^2 - 60y^2 = 900$	$\frac{1}{15}(907440x_{s+3} - 117150y_{s+1}),$ $\frac{\sqrt{60}}{15}(117150x_{s+3} - 15124y_{s+3})$

Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabola which are presented in the table below:

S.No	Parabola	x, y
1.	$60y^2 = 225x - 900$	$(16x_{s+1} - 2y_{s+1}) + 2,$ $\frac{\sqrt{60}}{15}(4y_{s+1} - 30x_{s+1})$
2.	$15376y^2 = 14415x - 886580160$	$\frac{1}{124}(3905x_{s+1} - x_{s+3}) + 2,$ $\frac{\sqrt{60}}{930}(x_{s+3} - 3781x_{s+1})$
3.	$60y^2 = 15x - 900$	$\frac{1}{15}(240x_{s+1} - 30y_{s+1}) + 2,$ $\frac{\sqrt{60}}{15}(4y_{s+1} - 30x_{s+1})$
4.	$60y^2 = 60x - 14400$	$\frac{1}{60}(117150x_{s+2} - 1890x_{s+3}) + 2,$ $\frac{\sqrt{60}}{60}(244x_{s+3} - 15124x_{s+2})$
5.	$864900y^2 = 922560x - 3191688576000$	$\frac{1}{930}(y_{s+3} - 3781y_{s+1}) + 2,$ $\frac{1}{124\sqrt{60}}(3905y_{s+1} - y_{s+3})$
6.	$225y^2 = 240x - 216000$	$\frac{1}{15}(y_{s+2} - 61y_{s+1}) + 2,$ $\frac{1}{2\sqrt{60}}(63y_{s+1} - y_{s+2})$
7.	$y^2 = 60x - 864000$	$\frac{1}{60}(244y_{s+3} - 15124y_{s+2}) + 2,$ $\frac{1}{60\sqrt{60}}(117150y_{s+2} - 1890y_{s+3})$
8.	$60y^2 = 60x - 864900$	$\frac{1}{465}(14640x_{s+1} - 30y_{s+2}) + 2,$ $\frac{\sqrt{60}}{465}(1890x_{s+1} - 4y_{s+2})$
9.	$60y^2 = 60x - 864900$	$\frac{1}{465}(240x_{s+2} - 1890y_{s+1}) + 2,$ $\frac{\sqrt{60}}{465}(30x_{s+2} - 244y_{s+1})$

10.	$60y^2 = 60x - 900$	$\frac{1}{15}(14640x_{s+2} - 1890y_{s+2}) + 2,$ $\frac{\sqrt{60}}{15}(1890x_{s+2} - 244y_{s+2})$
11.	$60y^2 = 60x - 864900$	$\frac{1}{465}(907440x_{s+2} - 1890x_{s+3}) + 2,$ $\frac{\sqrt{60}}{465}(117150x_{s+2} - 244y_{s+3})$
12.	$60y^2 = 60x - 332126900$	$\frac{1}{28815}(240x_{s+3} - 117150y_{s+1}) + 2,$ $\frac{\sqrt{60}}{28815}(30x_{s+3} - 15124y_{s+1})$
13.	$60y^2 = 60x - 900$	$\frac{1}{15}(907440x_{s+3} - 117150y_{s+1}) + 2,$ $\frac{\sqrt{60}}{15}(117150x_{s+3} - 15124y_{s+3})$

Consider $m = x_{s+1} + y_{s+1}, n = x_{s+1}$. Observe that $m > n > 0$. Treat m, n as the generators of the Pythagorean triangle $T(\alpha, \beta, \gamma)$, where $\alpha = 2m, \beta = m^2 - n^2, \gamma = m^2 + n^2$.

Let A, P represent the area and perimeter of $T(\alpha, \beta, \gamma)$

Then the following interesting relations are observed.

- a) $\alpha - 30\beta + 29\gamma = 15$
- b) $31\beta - 30\alpha - \frac{4A}{P} = -15$
- c) $\gamma - 31\alpha + \frac{120A}{P} = -15$

CONCLUSION:

In this paper, we have presented infinitely many integer solutions for the hyperbola represented by the negative Pell equation $y^2 = 60x^2 - 15$. As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of negative Pell equations and determine their integer solutions along with suitable properties.

REFERENCES:

1. Mollin, R. A., & Srinivasan, A. (2010). A Note on the Negative Pell Equation. *International Journal of Algebra*, 4(19), 919-922.
2. Whitford, E.E (1913). Some solutions of the pellian Equations $x^2 - Ay^2 \pm 4$ JSTOR: *Annals of Mathematics*, Second series, (1913-1914). 15, $\frac{1}{4}$, 157-160).
3. Ahmet Tekcan, Betw Gezer & Osman Bizim (2007). On the integer solutions of the pell Equation $x^2 - dy^2 = 2^t$. *World Academy of science, Engineering and Technology*, 1, (522-526).
4. Ahmet Tekcan (2008). The pell equation $x^2 - (k^2 - k)y^2 = 2^t$. *World Academy of science, Engineering and Technology*, 19,(697-701).

5. Merve Guney (2012). Solutions of the pell equations, $x^2 - (a^2b^2 + 2b)y^2 = 2^t$ when $N \in (\pm 1, \pm 4)$. *Mathematica Aeterna*, 2(7), 629-638.
6. Gopalan, M.A., vidhyalakshmi S. & Thiruniraiselvi, N. (2013). A study on the hyperbola $y^2 = 8x^2 - 31$. *International Journal of latest Research in science and technology*. 2(1), 454-456.
7. Sangeetha, V., Gopalan M.A. & Manju Somanath (2014). On the integral solutions of the pell equation $x^2 = 13y^2 - 3^t$. *International journal of applied Mathematical research*, 3(1), (58-61).
8. Gopalan, M.A., Sumathi, S & Vidhyalakshmi, S (2014). Observations on the hyperbola $x^2 = 19y^2 - 3^t$. *Scholars Journal of the Engineering and Technology*. 2(2A),152-155.
9. Gopalan, M.A., Vidhyalakshmi S & Kavitha, A (2014). On the integral solution of the Binary quadratic equation $x^2 = 15y^2 - 11^2$. *Scholars Journal of the Engineering and Technology*, 2(2A),156-158.